

# uvex

Visor & Face protection

14.12.2020

**Product Datasheet**  
**model 9906 008 uvex pheos Visor magnetic**



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

**Product characteristics**

- Visor against the effects of electrical arcs class 2 (7kA), certified by GS-ET 29
- PC visor with uvex supervision excellence coating technology
- Magnetic locking system
- Visor can be removed from the helmet at any time via magnetic click system
- Visor can be placed over the helmet shell into a parking position
- Well-balanced system, ergonomic relief for the wearer
- Marking 3 (drops and splashes of liquid), 8 (electrical arcs) und 9 (molten metal and hot solids)
- Can be combined with uvex pheos industrial safety helmet E-S-WR
- Compatible with earmuffs uvex pheos K2P magnetic (2600.215)

<b>Technical details</b>	
<b>Frame</b>	
Material	PE
Colour	Black
<b>Marking of support body</b>	
Manufacturer's ID code	W
EN Norm	166
Area of application	3 (drops and splashes of liquid) 8-2 (arc fault according to GS-ET 29) 9 (molten metal and hot solids)
Mech. strength	B (120 m/s)
Conformity symbol	CE
No. of notified body	0196
<b>Vi Lens</b>	
Material	PC
Thickness	2,2 mm
Coating	uvex supravision excellence
Colour	Colourless
UV protection	UV 400
<b>Marking of the visor plate</b>	
Filter	2C-1,2 (EN 170)
Manufacturer's ID code	W
Optical class	1
Mech. strength	B (120 m/s)
Area of application	8-2-0 (arc fault according to GS-ET 29) 9 (molten metal and hot solids)
Surface resistance to fine particles	K
Anti-Fog	N
Conformity symbol	CE
No. of notified body	0196
<b>Miscellaneous</b>	
Weight	216 g
Packaging	Individually packed in polybag 12 pcs in a carton
Standards	EN 166 + EN 170 + GS ET 29
PPE Category	Category III

**Spare parts and accessories:**

Art.-Nr. 9906017	Replacement visor
Art.-Nr. 9954362	Storage bag for visors